CREATING A CLEANER, SAFER, HEALTHIER WORLD.



Tennant Coatings Advantage: Food and Beverage

DURABLE SOLUTIONS FOR DEMANDING FOOD & BEVERAGE FACILITIES TENNAN

Your Floors




CHOOSE THE TENNANT COATING THAT'S RIGHT FOR YOU

- Thermal shock and chemical resistance for durability in extreme environments
- Texturing for slip-resistance in wet conditions to reduce the chance of slip and fall accidents
- Seamless application to make cleaning and disinfecting easier

HIGH-PERFORMING TENNANT COATINGS PROVIDE THE PERFORMANCE YOU NEED

For the food and beverage industry, performance means long-lasting floors that can stand up to extremes of temperature and help maintain the level of hygiene required. With Tennant floor coatings, you get:

- NSF[®] registered products for use in food and beverage production areas
- Durable floor coatings to repair eroded or sloped areas effectively
- Slip-resistant textures to help prevent slip and fall accidents in wet conditions
- Surfaces that withstand extremes in temperature, chemical exposure, and high pressure cleaning
- Flooring systems that may contribute to LEED credits for Indoor Environmental Quality



CEMENTITIOUS URETHANT TROWELED AND SLURRY SYSTEMS

- Effectively repairs moderately eroded or sloped areas damaged by chemical exposure, thermal shock and high pressure/high temperature cleaning
- Creates a safer workplace with a slip-resistant texture to prevent slip and fall accidents in wet conditions



TENNANT MMA[™] SYSTEM

- Solvent free and Phthalate (BPA) free
- Durable, abrasion- and impact-resistant formula withstands extreme temperature variations, heavy-wheeled traffic and high-pressure cleaning
- Creates safer workplaces with a slip-resistant texture effective in wet conditions
- One hour cure time at temperature of 20 degrees below zero

GLAZE AND MAT WALL SYSTEMS

- Easy-to-clean wall surfaces that can help reduce maintenance costs
- Durable, epoxy-based coatings resist wear
- An array of colors and textures available

1/8" BROADCAST QUARTZ SYSTEM

- Abrasion and chemical resistance
- Textured to provide traction, reducing the potential for slip and fall accidents



SUSTAINABLE SOLUTIONS



BiOH® polyols are soy-based ingredients used to replace a portion of the petroleum chemicals in a variety of polyurethane applications.



ec-H2O[™] technology electrically converts water into an innovative cleaning solution that cleans effectively, saves money, improves safety, and reduces environmental impact compared to daily cleaning floor chemicals.



Orbio® split stream technology

generates a cleaning solution that can be used on and off the floor. It can reduce the expense, effort, and environmental footprint associated with conventional daily-use cleaning chemicals.

CHOOSE TENNANT FOR YOUR FLOOR CARE NEEDS

Tennant offers the flooring industry's most complete and integrated floor care solutions to help you create a cleaner, safer environment for employees, guests, and customers. A floor care system of high-performing Tennant[®] coatings and scrubbers will:

- Maximize your floor's natural life
- Minimize your maintenance and repair costs
- Create a world-class impression that reflects your highest standards
- Protect your floors from the wear of heavy equipment, harsh chemicals, and extreme temperatures

CERTIFICATIONS

IDENTIFY and FaST® Eco-DQSTM with Eco-TCUTM Topcoat, Eco-HTSTM Satin Urethane Topcoat, Orbio[®] Multi-Surface Solution, ec-H2OTM and FaST[®] technologies are NFSI (National Floor Safety Institute) Certified. Products gain NFSI certification by demonstrating acceptable wet slip resistance through both laboratory and real-world testing.

Cementitious Urethane Troweled and Slurry Systems, Orbio[®] Multi-Surface Solution, ec-H2O and FaST technologies are registered by NSF International. NSF International is an independent, not-for-profit organization that ensures formulation and labels of products used in food and beverage processing facilities meet appropriate food safety regulations.

FOR FIRST IMPRESSIONS THAT LAST[™]

For additional information, call +1.800.553.8033 or email info@tennantco.com

2.035.001.am.en Coatings F&B Brochure 1/14 ©2013 The Tennant Company logo and other trademarks designated with the symbol "®" are trademarks of Tennant Company registered in the United States and/or other countries unless otherwise indicated. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors. All rights reserved. Tennant 701 North Lilac Drive Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033 Quebec: +1.800.361.9050 Overseas: +1.763.540.1315

www.tennantco.com info@tennantco.com