

Styled & Durable









restaurants

KITCHENS | DINING ROOMS | RESTROOMS | WAITING ROOMS | BAR AREAS | STORE ROOMS

education

CAFETERIAS | CLASSROOMS | RESTROOMS | HALLWAYS | LOCKER ROOMS | STADIUMS

healthcare

CLEANROOMS | WAITING ROOMS | DOCTOR OFFICES | HOSPITAL ROOMS | DIALYSIS CLINICS

hospitality

CAFES | KITCHENS | LOBBIES | RESTROOMS | FOOD SERVICE AREAS | SERVICE HALLWAYS

cleanroom

PHARMACEUTICAL | LABS | FOOD PROCESSING | HOSPITALS | WAREHOUSING

retail

PUBLIC AREAS | CUSTOMER SERVICE | RESTROOMS | BAKERIES | DELIS | STORE ROOMS





GLASBORD® Wall Panels with Surfaseal Finish

PEBBLED EMBOSSED TEXTURE



Colonial White | 83













Pearl Gray | 48

SMOOTH TEXTURE







Ivory | 84 *



The Surfaseal film finish, found only on Glasbord, provides a barrier that's highly resistant to impact and scratching. Because of our unique process, the Surfaseal finish will not trap soil or bacteria on the panel. The surface is up to 10 times easier to clean and up to six times more stain resistant than other sanitary wall systems.









GLASBORD SMOOTH | WHITE (85)

GLASBORD EMBOSSED | IVORY (84)

A global leading provider of resilient wall and ceiling coverings. Kemlite® was established in 1954 and the company changed names to Crane Composites in 2007 to reflect the company's ongoing new product innovations that continue to expand beyond hygienic wall panels.

APPLICATIONS

- Commercial Kitchens
- Cleanrooms
- Restrooms
- Convenience Stores
- Locker Rooms
- Food Processing Plants

FEATURES

- Mold & Mildew Free
- Meets USDA/FSIS Requirements
- Easy to Install
- Cleanable
- Durable

ACCESSORIES

- Standard Vinyl/PVC Moldings
- Polyurethane Seam Sealant

PRODUCT SPECS

- AVAILABLE SIZES: 4' x 8' | 4' x 10' (other sizes available upon request)
- THICKNESSES: 0.09" (embossed) | 0.075" (smooth)
- FIRE RATINGS: Class A or Class C per ASTM E-84 | CAN/ULC-S102 | FM Approved Available * Embossed Black, Smooth Gray and Ivory are available in a Class C fire rating only

Patterns and colors are a representation and may not accurately reflect the final product. Please obtain a sample of the product before making a final selection at www.frpsamples.com

DESIGNSCollection | Custom Pattern
Wall Panels



Sierra Ash | 010SA

Baton Rouge Bamboo | 001BRB



Maryland Maple | 009MM

Carolina Cherry | 002CC







Tennessee Timber | 003TT



Colonial Canvas | 012C





Corn Silk Canvas | 008C

Camel Canvas | 010C








Coastal Canvas | 007C









Scattered Stone | 004SS





Maui Marble | 006MM

Caramel Crosshatch | 013CH | Brushed Metal | 025BM





Your custom designs, logos or images can now be transformed into a durable, cleanable and easy to install FRP wall panel. Custom moldings are available for seamless and









DESIGNS | CAMEL CANVAS

DESIGNS | BATON ROUGE BAMBOO

DESIGNS | CAMEL CANVAS

DESIGNS resilient wall coverings, bring both style and durability into any commercial space. No need to sacrifice aesthetics for hygiene.

APPLICATIONS

- School Hallways
- Cafeterias
- Dining Rooms
- Reception Areas
- Health Clubs
- Hospitals
- Assisted Living Centers

FEATURES

- Mold & Mildew Free
- Easy to Install
- Cleanable
- Durable

ACCESSORIES

- Coordinated Silhouette Trims_® Moldings
- Aluminum Moldings

PRODUCT SPECS

- AVAILABLE SIZES: 4' x 8' | 4' x 10'
- THICKNESSES: 0.075"
- FIRE RATINGS: Class A or Class C per ASTM E-84 | CAN/ULC-S102

THERE IS NO BETTER OPTION.

Our broad selection of moisture-resistant and non-porous FRP paneling solutions are available in a range of surface options, textures and colors. Easy to install over any existing wall surface and highly cost-effective, our FRP panels are proven to deliver tough, low maintenance surfaces that are long lasting, yet great-looking.







SANDSTONE TEXTURE







Morning Mist Gray | 636



Fawn Brown | 809



Pepper Dust | 8044 (Satin) LINEN TEXTURE



Almond Breeze | 866















Cotton White | 1130



VARIETEX SATIN SANDSTONE PEPPER DUST (8044)









VARIETEX LINEN | COTTON WHITE (1130)

VARIETEX TILE-LOOK | PARCHMENT (866)

VARIETEX BEADED | COTTON WHITE (1130)

Take your surfaces beyond with a tile like finish on the sandstone and gel-coat panels. The grout lines are sealed for easy maintenance, avoiding the grimy build up encountered with regular tile.

APPLICATIONS

- School Hallways
- Cafeterias
- Dining Rooms
- Reception Areas
- Health Clubs
- Hospitals
- Assisted Living Centers

FEATURES

- Mold & Mildew Free
- Easy to Install
- Cleanable
- Durable

ACCESSORIES

- Silhouette Trims® Moldings
- Beaded Panel Moldings
- Aluminum Moldings

PRODUCT SPECS

- AVAILABLE SIZES: 4' x 8' | 4' x 10'
- THICKNESSES: 0.09" (Sandstone and Linen) | 0.075" (Beaded)
- FIRE RATINGS: Class A per ASTM-E84 (Sandstone non-Satin, Sandstone Satin Pepperdust, and Linen only) Class C per ASTM-E84 and CAN/ULC-S102

KEMPLY®

Laminated Wall and Ceiling Panels

AVAILABLE SUBSTRATES




1/2" | 5/8" 3/8'' | 1/2'' | 5/8'' | 3/4''





Fluted Polypropylene 0.32" | 0.40"





Double-Sided ACP Core 0.12" | 0.24"

APPLICATIONS

- Car Washes
- Food Processing Plants
- Refrigerated Warehouses
 - Commercial Kitchens
 - Laboratories
 - Locker Rooms

 - Dormitories -
 - Kennels -

PRODUCT SPECS

AVAILABLE SIZES: ■

Wall Panels: 4' x 8' | 4' x 10' Ceiling Panels:

23.75" x 23.75" | 23.75" x 47.75"

AVAILABLE GLASBORD SKINS:

Glasbord Embossed or Smooth Textures in Class A or Class C Fire Rating per ASTM E-84 (PWI, PIF, PSIF, FX, FSI)



panel to a rigid substrate. The resulting Kemply panel has structural strength and rigidity,





installations. Sanigrid system feature a series of pre-notched main tees and cross members to lock in the grid. It allows for fast installation, with the entire system easily snapping together.

SANIGRID® II Ceiling Grid System



APPLICATIONS

- Car Washes
- Food Processing Plants
- Chemical Processing Plants
- Refrigerated Warehouses
- Commercial Kitchens

FEATURES

- Moisture Resistant
- Ideal for High Humidity
- Resistant to Chemical Environs
- Will Not Rust, Pit, Dent or Peel

PRODUCT SPECS

- AVAILABLE CEILING CONFIGURATIONS: 2' x 2' | 2' x 4'
- FIRE RATINGS: Class A per ASTM E-84
- AVAILABLE CEILING PANELS:
 Glasbord Embossed or Smooth Textures in Class A or Class C Fire Rating per ASTM E-84 (CGI, PSIF, FX) or Kemply ACP Core,

ACCESSORIES For Wall Panel Installations

VINYL/PVC MOLDINGS







For DESIGNS Patterns and VARIETEX Textures



ALUMINUM TRIMS

SILHOUETTE TRIMS



For DESIGNS Patterns and VARIETEX Textures



BEADED PANEL MOLDING



For VARIETEX Beaded Wall Panels



POLYURETHANE SEAM SEALANT



For Seamless GLASBORD Installations



for details



INSTALLATION TOOLS

Crane Composites wall panels are easy to install with our stocked accessories and tools.

Installation accessories include our Crane Fast Grab or Crane Advanced Polymer Adhesive, rollers and trowels along with detailed installation guides and videos. Visit cranecomposites.com/resources.html for detailed installation information.



ABOUT CRANE COMPOSITES

Crane Composites Inc., a subsidiary of Crane Co. (NYSE:CR), is the world's leading provider of fiber-reinforced composite materials.

Since 1954, we have continued to pioneer numerous patented technologies for industrial and commercial product applications. We've built a proven reputation for industry leadership by partnering with customers and suppliers to deliver advanced, industry-leading solutions.

Our products and our team reflect our mission statement: We are a performance driven organization committed to global leadership and the production of high quality composite materials. And we are committed to profitable growth that benefits our employees and stakeholders by adhering to our high standards of Operational Excellence and our Crane Values.

Customers benefit not only from the outstanding performance characteristics of our products; they also realize value from our extensive product support program. Our expert product teams are focused on the needs of customers to provide unparalleled service and expertise.

WHY FRP IS THE RIGHT CHOICE FOR ANY ENVIRONMENT.





